

LVL MULTIMEDIA

T → +32 11 42 18 46
M → +32 495 52 70 04

E ← info@lvlmultimedia.be
BTW ← BE0479.290.460
HR ← 109 869

→ YOUR AUDIOVISUAL PARTNER

BROADCAST RED = NEW January 2017

HD CAMERA'S		code	specifications
Sony	PDW-F800	RSONPDWF800	XDcam HD camcorder • HD-SDI out • SD option • excl. lens
Sony	PDW-700	RSONPDW700	XDcam HD camcorder • HD-SDI out • SD option • excl. lens
Sony	PXW-X500	RSONPXWX500	XDcam EX camcorder • HD-SDI out • excl. lens
Sony	PMW-500	RSONPMW500	XDcam EX camcorder • HD-SDI out • SD option • excl. lens
Sony	PMW-400	RSONPMW400	XDcam EX camcorder • HD-SDI out • SD option • excl. lens
Sony	PMW-350	RSONPMW350	XDcam EX camcorder • HD-SDI out • SD option • excl. lens
Sony	PXW-X200	RSONPXWX200	XDcam EX compact camcorder • HD-SDI out • integrated lens
Sony	PMW-200	RSONPMW200	XDcam EX compact camcorder • HD-SDI out • integrated lens
Panasonic	AJ-PX5000	RPANAJPX5000	P2 HD camcorder • AVC-ULTRA • 1080/50p recording • HD-SDI out • excl. lens
Panasonic	AJ-HPX3700	RPANAJHPX3700	P2 HD camcorder • VariCam • 4:4:4 dual link output • HD-SDI out • excl. lens
Panasonic	AJ-HPX2100	RPANAJHPX2100	P2 HD camcorder • HD-SDI out • SD option • excl. lens
Panasonic	AG-HPX600	RPANAGHPX600	P2 HD camcorder • HD-SDI out • SD option • excl. lens
Panasonic	AJ-PX270	RPANAJPX270	AVC-ULTRA camcorder • incl. wifi-module • excl. Micro P2 cards • integrated lens
Panasonic	AG-DVX200	RPANAGDVX200	4K camcorder • excl. SDHC cards • integrated lens
Panasonic	AG-HVX201	RPANAGHVX201	P2 HD camcorder • records SD on MiniDV tape • SD option • excl. P2 cards • integrated lens
Panasonic	AG-AC30	RPANAGAC30	AVCHD camcorder • excl. SDHC cards • HDMI out • built-in LED camera light • integrated lens
Panasonic	AG-UJ90	RPANAGUX90	UHD 25p/AVCHD camcorder • excl. SDHC cards • HDMI out • integrated lens
Panasonic	AG-UJ180	RPANAGUX180	UHD 50p/AVCHD camcorder • excl. SDHC cards • 3G-SDI out • integrated lens

• PDW-F800, PDW-700, PXW-X500, PMW-500, AJ-HPX3700, AJ-HPX2100, AJ-PX5000 incl. broadcast HD standard lens = + 50,00 EUR
• PMW-400, PMW-350, AG-HPX600, incl. industrial HD standard lens = + 25,00 EUR

SD CAMERA'S		code	specifications
Sony	PDW-530	RSONPDW530	XDcam camcorder • excl. lens
Sony	DSR-450WSPL	RSONDSR450	DVcam camcorder • SDI out • excl. lens
Sony	DSR-570WSPL	RSONDSR570	DVcam camcorder • excl. lens
Panasonic	AJ-SDX900	RPANAJSDX900	DVCpro camcorder • SDI out • excl. lens
Panasonic	AG-DVX100B	RPANAGDVX100B	MiniDV compact camcorder • integrated lens

• incl. broadcast SD standard lens = + 25,00 EUR

MULTICAMERA		code	specifications
Sony	HXC-100	RSONHXC100	HD triax camera ● excl. viewfinder ● excl. lens
Sony	HSC-300	RSONHSC300	HD triax camera ● excl. viewfinder ● excl. lens
Sony	HSC-300R	RSONHSC300R	HD triax camera ● excl. viewfinder ● excl. lens
Sony	HDFV-20A	RSONHDFV20A	2" CRT B/W viewfinder for HXC-100 / HSC-300
Sony	HDFV-C550W	RSONHDFVC730W	5,5" LCD color viewfinder ● for HXC-100 / HSC-300 / HSC-300R
Sony	HDFV-L750	RSONHDFVL750	7" Full HD LCD color viewfinder ● for HXC-100 / HSC-300 / HSC-300R
Sony	HXCU-100	RSONHXCU100	Camera control unit ● for HXC-100 camera
Sony	HSCU-300	RSONHSCU300	Camera control unit ● for HSC-300 camera
Sony	HSCU-300R	RSONHSCU300R	Camera control unit ● for HSC-300R camera
Sony	HDLA-1505	RSONHDLA1505	Large lens adaptor for HSC-300 / HSC-300R camera ● for HD/SD box lenses
Sony	RCP-920	RSONRCP920	Remote control panel (OCP panel)
Panasonic	AK-HC3500	RPANAKHC3500	HD fiber camera ● excl. viewfinder ● excl. lens
Panasonic	AJ-HVF21G	RPANAJHVF21G	2" CRT B/W viewfinder ● for AK-HC3500
Panasonic	AK-HVF931	RPANAKHVF931	8" LCD color viewfinder ● for AK-HC3500
Panasonic	AK-HCU3550	RPANAKHCU3550	Camera control unit ● for AK-HC3500
Panasonic	AK-HRP935	RPANAKHRP935	Remote control panel (OCP panel) ● for AK-HC3500
Panasonic	AK-HRP200	RPANAKHRP200	Remote control panel (OCP panel) for AW-HE120 / AW-HE130 hothead
Panasonic	AG-BS300E	RPANAGBS300E	Base station ● for converting Panasonic ENG camera into studio system
Panasonic	AG-CA300G	RPANAGCA300G	Camera adaptor ● for converting Panasonic ENG camera into studio system
Panasonic	AG-EC4	RPANAGEC4	Extension control unit (OCP panel) ● for converting Panasonic ENG camera into studio system
Panasonic	AJ-RC10	RPANAJRC10	Extension control unit (OCP panel) ● for AG-HPX2100
Canon	ME200S-SH	RCANME200SSH	Multipurpose camera ● 3G-SDI out ● EF lens mount ● OCP-control RC-V100 available
Canon	RC-V100	RCANRCV100	OCP-control for ME200S-SH
OEM	Multi cable 75 m	ROEMCABLEFORPANASONIC	Multi cable on reel for Panasonic AG-BS300E + AG-CA300G ● length: 75m
OEM	Triax cable 5 m	ROEMTRIAX5	Up to HD ● Fischer
OEM	Triax cable 10 m	ROEMTRIAX10	Up to HD ● Fischer
OEM	Triax cable 20 m	ROEMTRIAX20	Up to HD ● Fischer
OEM	Triax cable 50 m	ROEMTRIAX50	Up to HD ● Fischer
OEM	Triax cable 100m	ROEMTRIAX100	Up to HD ● Fischer
OEM	Triax cable 150 m	ROEMTRIAX150	Up to HD ● Fischer
Lemo	Fiber cable 5 m	RLEMFIBRE5	Up to HD ● Lemo ● for Panasonic AK-HC3500 / AK-HCU3550
Lemo	Fiber cable 150 m	RLEMFIBRE150	Up to HD ● Lemo ● for Panasonic AK-HC3500 / AK-HCU3550
Sony	Multicam kit "1"	RSONMULTIKIT1	1x HXC-100 ● 1x HDFV-20A or HDFV-C550W ● 1x HXCU-100 ● 1x RCP-920
Sony	Multicam kit "2"	RSONMULTIKIT2	2x HXC-100 ● 2x HDFV-20A or HDFV-C550W ● 2x HXCU-100 ● 2x RCP-920
Sony	Multicam kit "3"	RSONMULTIKIT3	3x HXC-100 ● 3x HDFV-20A or HDFV-C550W ● 3x HXCU-100 ● 3x RCP-920
Sony	Multicam kit "4"	RSONMULTIKIT4	4x HXC-100 ● 4x HDFV-20A or HDFV-C550W ● 4x HXCU-100 ● 4x RCP-920
Sony	Multicam kit "5"	RSONMULTIKIT5	5x HXC-100 ● 5x HDFV-20A or HDFV-C550W ● 5x HXCU-100 ● 5x RCP-920
Sony	Multicam kit "6"	RSONMULTIKIT6	6x HXC-100 ● 6x HDFV-20A or HDFV-C550W ● 6x HXCU-100 ● 6x RCP-920
Sony	Multicam kit "7"	RSONMULTIKIT7	7x HXC-100 ● 7x HDFV-20A or HDFV-C550W ● 7x HXCU-100 ● 7x RCP-920

Sony	Multicam kit "8"	RSONMULTIKIT8	8x HXC-100 ● 8x HDVF-20A or HDVF-C550W ● 8x HXCU-100 ● 8x RCP-920
Panasonic	Multicam kit "1"	RPANMULTIKIT1	1x AK-HC3500 ● 1x AJ-HVF21G + 1x AK-HVF931 ● 1x AK-HCU3550 ● 1x AK-HRP935
Panasonic	Multicam kit "2"	RPANMULTIKIT2	2x AK-HC3500 ● 1x AJ-HVF21G + 2x AK-HVF931 ● 2x AK-HCU3550 ● 2x AK-HRP935
Panasonic	UHD multicam kit "1"	RPANUHDMULTIKIT1	1x AK-UC3000GSJ ● 1x AK-HVC100GJ ● 1x AK-UCU500EJ ● 1x AK-HRP1005GJ
Kramer	VS-81HDxI	RKRAVS81HDxI	3G-SDI OCP-override switcher ● 8x1 ● for Sony RCP-920 OCP's ● incl. override cables (Hirose-XLR)
Crewpower	Camera belt	RCRECAMERABELT	Camera belt with hip support and cable clamps

HD / UHD CAMERA LENSES	code	specifications
------------------------	------	----------------

Canon	CJ12EX4.3BIASE S	RCAN CJ12EX43BIASE	UHD Wide angle lens
Canon	HJ14EX4.3BIRSE	RCANHJ14EX43BIRSE	Wide angle lens ● Digi focus demand (FPD-400D) not possible
Canon	HJ14EX4.3BIASE	RCANHJ14EX43BIASE	Wide angle lens
Fujinon	HA13x4.5 BERD	RFUJHA1345BERD	Wide angle lens
Canon	HJ15ex8.5B	RCANHJ15EX85B	Stabilized lens
Canon	HJ17ex7.6BIASE-A	RCANHJ17EX76BIASEA	Standard lens
Canon	HJ18ex7.6BIASE-S	RCANHJ18EX76BIASES	Standard lens
Fujinon	ZA17x7.6 BERM-M	RFUJZA1776BERMM	Standard lens
Canon	HJ21x7.5B IASD	RCANHJ21X75BIAS	Tele lens
Canon	HJ22ex7.6 BIASE	RCANHJ22EX76BIASE	Tele lens
Canon	HJ24ex7.5 BIASE	RCANHJ24EX75BIASE	Tele lens
Canon	HJ40x14BIASE-V H	RCANHJ40X14BIASEVH	Tele lens ● incl. zoom and focus demand ● new drive unit
Canon	HJ40x14BIASE	RCANHJ40X14BIASE	Tele lens ● incl. zoom and focus demand
Canon	XJ86x9.3B IE 9.3-800	RCANXJ86X93BIE93	Super tele box lens ● incl. zoom and focus demand ● incl. rain cover
Canon	ZSD-300D	RCANZSD300D	Digi zoom demand for Canon digital HD / UHD lenses (12x, 14x, 17x, 18x, 21x, 22x, 24x)
Canon	FPD-400D	RCANFPD400D	Digi focus demand for Canon digital HD / UHD lenses (12x, 14x, 17x, 18x, 21x, 22x, 24x)

SD CAMERA LENSES	code	specifications
------------------	------	----------------

Fujinon	A8.5x5.5 BRM	RFUJA85X55BRM	Wide angle lens
Canon	J8x6B4 KRS A SX12	RCANJ8X6B4KRSA	Wide angle lens
Canon	J9x5.2 IAS	RCANJ9X52IAS	Wide angle lens ● 3 motors
Canon	J9x5.2 IRS	RCANJ9X52IRS	Wide angle lens
Fujinon	A16x9BERM	RFUJA16X9BERM	Standard lens ● with extender
Canon	J14ax8.5B4 IRS SX12	RCANJ14AX85B4IRS	Standard lens
Canon	J15ax8B4 IRS SX12	RCANJ15AX8B4IRS	Standard lens
Canon	J15ax8B4 WRS SX12	RCANJ15AX8B4	Standard lens
Canon	J15ax8B4 IAS SX12	RCANJ15AX8B4IAS	Standard lens ● incl. zoom and focus demand ● digital zoom & focus
Canon	J20ax8B4 IAS SX 12	RCANJ20AX8B4IAS	Tele lens
Canon	J21ax7.8B4 WRS SX12	RCANJ21AX78B4WRS	Tele lens ● incl. zoom and focus demand ● digital zoom & mechanical focus
Canon	J21ax7.8B4 WASD	RCANJ21AX78B4WASD	Tele lens ● incl. zoom and focus demand ● digital zoom & focus
Canon	J22ex7.6B4 IRSE SX12	RCANJ22EX76B4IRSE	Tele lens

Canon	J33ax11IAS	RCANJ33AW11IAS	Tele lens ● incl. zoom and focus demand ● digital zoom & focus
Canon	PJ70x9.5B	RCANPJ70X95B	Super tele box lens ● incl. zoom and focus demand ● digital zoom & focus ● incl. rain cover

CINE CAMERA'S		code	specifications
Panasonic	VariCam LT - PL	RPANVARICAMLTEF	UHD large sensor camera ● excl. P2 memory cards ● PL lens mount ● incl. OLED viewfinder
Panasonic	VariCam LT - EF	RPANVARICAMLTPL	UHD large sensor camera ● excl. P2 memory cards ● EF lens mount ● incl. OLED viewfinder
Panasonic	AU-XP0256AG	RPANAUXP0256AG	Express P2 card for VariCam LT ● 256GB
Panasonic	AU-XP0512BG	RPANAUXP0512BG	Express P2 card for VariCam LT ● 512GB
Sony	PMW-F55	RSONPMWF55	UHD large sensor camera ● 4K HD-SDI out ● excl. SxS cards ● PL lens mount ● incl. OLED VF
Sony	PMW-F5	RSONPMWF5	UHD large sensor camera ● excl. SxS cards ● PL lens mount ● incl. OLED VF
Sony	AXS-R5	RSONAXSR5	External 4K raw recorder for PMW-F55 / PMW-F5
Sony	AXS-512S24	RSONAXS512S24	Memory card for AXS-R5 ● 512GB
Sony	AXS-A1TS24	RSONAXSA1TS24	Memory card for AXS-R5 ● 1TB
Sony	AXS-CR1	RSONAXSCR1	Memory card reader for AXS memory cards
Sony	DVF-L700	RSONDVFL700	7" LCD color viewfinder for PMW-F55 / PMW-F5
Sony	PXW-FS7 incl. lens	RSONPXWFS7	UHD large sensor XDCam camera ● excl. XQD cards ● incl. 28 – 135mm zoom lens (E-mount)
Sony	PXW-FS7 excl. lens	RSONPXWFS7EXCL	UHD large sensor XDCam camera ● excl. XQD cards ● excl. lens
Sony	QD-G64A	RSONQDG64A	XQD memory card for PXW-FS7 ● 64GB
Sony	QD-G128A	RSONQDG128A	XQD memory card for PXW-FS7 ● 128GB
Canon	EOS C300 MKII	RCANEOSC300	UHD Large sensor camera ● HD-SDI out ● excl. Compact Flash cards ● EF lens mount
Canon	EOS C300	RCANEOSC300	Large sensor camera ● HD-SDI out ● excl. Compact Flash cards ● EF lens mount
Canon	ME200S-SH	RCANME200SSH	Multipurpose camera ● HD-SDI out ● EF lens mount ● OCP-control RC-V100 available
Canon	RC-V100	RCANRCV100	OCP-control for ME200S-SH
Sony	PMW-F3	RSONPMWF3	Large sensor camera ● HD-SDI out ● excl. SxS cards ● PL lens mount
Panasonic	AG-AF101	RPANAGAF101	Large sensor camera ● HD-SDI out ● excl. SDHC cards ● Micro Four Thirds lens mount
Metabones	EF to E-Mount	RMETEFTOE	EF lens to Sony E-Mount adapter
Metabones	SpeedB. EF to E-Mount	RMETSPEEDEFTOE	SpeedBooster EF lens to Sony E-Mount adapter
Vocas	MFC-1	RVOCMFC1	Follow focus kit
Vocas	MFC-2	RVOCMFC2	Follow focus kit ● with wooden focus knob and hand grip
Vocas	PL adapter	RVOCPLADAPTER	PL lens adapter
Vocas	Canon adapter	RVOCANONADAPTER	Canon lens adapter
Vocas	Nikon adapter	RVOCNIKONADAPTER	Nikon lens adapter
Vocas	Pro support (rig)	RVOCPROSUPPMWF55	Rig for PMW-F55 / PMW-F5
Vocas	Pro support (rig)	RVOCPROSUPEOSC300	Rig for EOS C300
Vocas	Pro support (rig)	RVOCPROSUPPMWF3	Rig for PMW-F3
Vocas	Pro support (rig)	RVOCPROSUPAGAF101	Rig for AG-AF101
Vocas	MB-450	RVOCMB450	Matte box for PMW-F55 / PMW-F5
Vocas	MB-255	RVOCMB255	Matte box for AG-AF101

CINE LENSES		code	specifications
Fujinon	ZK4.7x19SA M/F	RFUJZK47X19SAMF	19 – 90 mm lens for large sensor camera • PL mount • servo zoom
Fujinon	ZK3.5x85	RFUJZK35x85	85 – 300 mm lens for large sensor camera • PL mount • servo zoom
Canon	CN7x17 KAS S E1/P2	RCANCN7X17KAS	17 – 120 mm lens for large sensor camera • PL mount • servo zoom • Z&F demands available
Canon	ZSD-300D	RCANZSD300D	Digi zoom demand for Canon CN7x17 KAS S E1/P2
Canon	FPD-400D	RCANFPD400D	Digi focus demand for Canon CN7x17 KAS S E1/P2
Canon	Compact-Servo 18-80	RCANCOMPACTSERVO1880	18 – 80 mm lens for large sensor camera • EF mount • excl. ZSG-10
Canon	ZSG-10	RCANZSG10	Servo unit hand grip for Compact Servo 18-80
Panasonic	H-VS014140E	RPANHVS014140E	14-140 mm (35 mm; 28-280 mm) Micro Four Thirds lens
Zeiss	C.P2 18	RZEICP218MM	18 mm lens for large sensor camera • PL mount
Zeiss	C.P2 21	RZEICP221MM	21 mm lens for large sensor camera • PL mount
Zeiss	C.P2 35	RZEICP235MM	35 mm lens for large sensor camera • PL mount
Zeiss	C.P2 50	RZEICP250MM	50 mm lens for large sensor camera • PL mount • SuperSpeed
Zeiss	C.P2 85	RZEICP285MM	85 mm lens for large sensor camera • PL mount
Zeiss	C.P2 kit	RZEICP2KIT	Lens kit with 18/21/35/50/85 mm lenses • PL mount
Zeiss	C.P2 18 EF	RZEICP218MMEF	18 mm lens for large sensor camera • EF mount
Zeiss	C.P2 28 EF	RZEICP228MMEF	28 mm lens for large sensor camera • EF mount
Zeiss	C.P2 50 EF	RZEICP250MMEF	50 mm lens for large sensor camera • EF mount
Zeiss	C.P2 85 EF	RZEICP285MMEF	85 mm lens for large sensor camera • EF mount
Zeiss	C.P2 kit EF	RZEICP2KITEF	Lens kit with 18/28/50/85 mm lenses • EF mount
Vocas	MFC-1	RVOCMFC1	Follow focus kit
Vocas	MFC-2	RVOCMFC2	Follow focus kit • with wooden focus knob and hand grip
Canon	EF 16-35mm	RCANEF1635MM	Zoom lens EF 16-35mm 1:2.8 L USM
Canon	EF 24-70mm	RCANEF2470MM	Zoom lens EF 24-70mm 1:2.8 L USM
Canon	EF 70-200mm	RCANEF70200MM	Zoom lens EF 70-200mm 1:2.8 L USM
Olympus	MFT 7-14mm PRO	ROLY714128PRO	Zoom lens MFT 7-14mm 1:2.8 • for Panasonic AG-AF101
Olympus	MFT 12-40mm PRO	ROLY1240128PRO	Zoom lens MFT 12-40mm 1:2.8 • for Panasonic AG-AF101
Olympus	MFT 40-150mm PRO	ROLY40150128PRO	Zoom lens MFT 40-150mm 1:2.8 • for Panasonic AG-AF101
Optitek	CPLI-FZ3	ROPTCPLIFZ3	ProLock adapter • to fit EF lenses onto PMW-F55 / PMW-F5

LENS ACCESSORIES		code	specifications
Canon	ZSD-300D	RCANZSD300D	Digi zoom demand remote • digital
Canon	FPD-400D	RCANFPD400D	Digi focus demand remote • digital
Fujinon	MS11 ZOOM	RFUJMS11ZOOM	Zoom demand remote • digital
Fujinon	MS11 FOCUS	RFUJMS11FOCUS	Focus demand remote • mechanical

3D EQUIPMENT		code	specifications
Panasonic OEM	AG-3DA1 SDHC 32GB	RPANAG3DA1 ROEMSDHC32GB	Integrated 3D camera • excl. SDHC cards • Dual stream HD-SDI output (L +R) SDHC memory card • 32 GB • 2 pcs needed for AG-3DA1
Vocas	Pro support (rig)	RVOCPROSUPAG3DA1	Rig for AG-3DA1
Vocas	MB-450	RVOCMB450	Matte box for AG-3DA1
Aja	Hi5-3D	RAJAHi53D	Dual stream HD-SDI (L+R) to single HD-SDI/HDMI converter (Side By Side, ...)
Panasonic	AG-HMX100	RPANAGHMX100	Digital 3D mixer • 2x dual stream HD-SDI in • 1x dual stream HD-SDI out / 1x Side By Side out
Panasonic	BT-3DL2550	RPANBT3DL2550	25" 3D LCD monitor • 2x HD-SDI • CVBS • DVI • incl. 4x glasses

MINI CAMERA'S		code	specifications
Sony	HXR-MC1P	RSONHXRC1P	Mini full HD camera • fixed 2,8m cable • HDMI out • excl. MemoryStick cards
Panasonic	AG-HCK10G	RPANAGHCK10G	Mini full HD camera • detachable 3m cable • only i.c.w. with AG-HMR10E AVCCAM recorder
Panasonic	AG-HMR10E	RPANAGHMR10E	Portable AVCCAM recorder • HD-SDI in • HDMI out • excl. SDHC cards
Panasonic	AG-C20020G	RPANAGC20020G	Detachable 20m cable • to connect AG-HCK10G + AG-HMR10E

CAMERA TRIPODS / GRIP		code	specifications
Sachtler	DV8	RSACDV8	Camera tripod • 75mm bowl
Sachtler	ACE	RSACACE	Camera tripod • 75mm bowl
Sachtler	FSB4	RSACFSB4	Camera tripod • 75mm bowl
Sachtler	FSB6	RSACFSB6	Camera tripod • 75mm bowl
Sachtler	FSB8	RSACFSB8	Camera tripod • 75mm bowl
Sachtler	Video14 II HotPod	RSACVIDEO142	Camera tripod • 75mm bowl
Sachtler	Caddy	RSACCADDY	Camera tripod • 100mm bowl
Sachtler	Video18	RSACVIDEO18	Camera tripod • 100mm bowl
Sachtler	Video18 II	RSACVIDEO182	Camera tripod • 100mm bowl
Sachtler	Video18 P	RSACVIDEO18P	Camera tripod • 100mm bowl
Sachtler	Video18 SB	RSACVIDEO18SB	Camera tripod • 100mm bowl
Sachtler	Video20 II	RSACVIDEO203	Camera tripod • 100mm bowl
Sachtler	Video20 P	RSACVIDEO20P	Camera tripod • 100mm bowl
Sachtler	Video25	RSACVIDEO25	Camera tripod • 150mm bowl
Sachtler	Video30	RSACVIDEO30	Camera tripod • 150mm bowl
Sachtler	Video60 Plus	RSACVIDEO60	Camera tripod • 150mm bowl
Sachtler	Varioped30	RSACVARIOPED30	Camera tripod • with wheeldolly • with steering wheel • 1-stage
Sachtler	Varioped75-2	RSACVARIOPED752	Camera tripod • with wheeldolly • with steering wheel • 2-stage
Sachtler	HD75	RSACHD75	Camera head • with Vinten HDT-2 base • Quickfix • for 70x box lens
Vinten	Vector700	RVINVECTOR700	Camera head • with Vinten HDT-2 base • Quickfix • for 86x box lens
Vinten	Vector750	RVINVECTOR750	Camera head • with Vinten HDT-2 base • Quickfix • for 86x box lens
Sachtler	Extra arm	RSACEXTRAARM	Extra arm for camera tripod

Sachtler	Plate small	RSACPLAATJEKLEIN	Tripod plate ● small ● incl. 2x screw
Sachtler	Plate big	RSACPLAATJEGROOT	Tripod plate ● big ● incl. 2x screw
ProSup	E-Jib	RPROEJIB	Compact jib arm for standard camera tripod (100mm bowl) ● excl. camera tripod ● incl. counter weights
ProSup	Laptop Dolly	RPROLAPTOPDOLLY	Compact dolly with camera support and seat ● excl. tracks
ProSup	Track for Laptop Dolly	RPROTRACK	Travelling track for Laptop Dolly ● length: 1,5m
ProSup	Tango Roller Set	RPROTANGOROLLERSET	Slider set for 100mm fluid head ● length: 1m + 1,2m = 2,2m ● excl. fluid head
P+S Technik	Skater Dolly	RPSSKATERDOLLY	Skater Dolly ● incl. leveling supports
DJI	Ronin	RDJIRONIN	Handheld camera stabilizer ● incl. extra battery

CAMERA ACCESSORIES		code	specifications
--------------------	--	------	----------------

AutoCue	MSP17	RAUTMSP17	Master Series teleprompter ● incl. scroll controller ● incl. laptop
OEM	Battery belt	ROEMBATTERYBELT	12V ● incl. charger
Litepanels	MiniPlus LED	RLITMINIPLUS	LED camera light with built in battery pack ● incl. charger
Sony	HVL-LBPC	RSONHVLBPC	LED camera light ● incl. charger and batteries
PAG	Paglight	RPAGPAGLIGHT	Camera light with slide-in connector
Frezzi	Mini-fill dimmer	RFREPAG	Camera light with PAG connector
Frezzi	Mini-fill dimmer XLR	RFREXLR	Camera light with XLR connector
Luxmen	X6 Ledpro	RLUXX6LEDPRO	Camera light ● AA batteries powered ● batteries included
Sony	HVL-20DW2	RSONHVL20DW2	Camera light ● battery and charger included
Manfrotto	ML240	RMANML240	Manfrotto ML240 Mini-24 LED Panel (camera light)
Manfrotto	ML360	RMANML360	Manfrotto ML360 Midi-36 LED Panel (camera light)
Manfrotto	ML840H	RMANML840H	Manfrotto ML840H Maxima-84 LED Panel (camera light)
Rotolight	RL48	RROTRL48	Rotolight RL 48 LED Panel (camera light)
Porta Brace	Camera cover	INCHOES	Camera cover (protective) ● only with camera rental
Porta Brace	Camera rain cover	INCRAI	Camera rain cover ● only with camera rental
Dynacore	Battery kit	RDYNBATTERYKIT	V-mount battery kit
Sony	Battery kit	RSONBATTERYKIT	V-mount battery kit

WIRELESS LINKS		code	specifications
----------------	--	------	----------------

AB On Air	AB512	RABOAB512	Wireless 3G-SDI camera system ● with tally, intercom and shading functions (Sony / Grass Valley)
Paralinx	Tomahawk 1:2	RPARTOMAHAWK12DEL	Wireless 3G-SDI system ● 2 receivers ● omni antenna's
Paralinx	Array	RPARARRAY	Array antenna for Tomahawk receiver ● incl. tripod

VIDEO CONFERENCING		code	specifications
--------------------	--	------	----------------

Polycom	HDX-8000	RPOLHDX8000	HD video conferencing codec
Quicklink	TX Multi Quad	RQUITXMULTIQUAD	4-channel Skype® codec with HD-SDI in/out

HOTHEAD CAMERA'S		code	specifications
Sony	BRC-300P	RSONBRC300P	SD remote camera ● CVBS out ● color: white
Sony	BRBK-302	RSONBRBK302	SD-SDI output board for BRC-300P
Sony	VCL-HG0737Y	RSONVCLHG0737Y	Wide angle conversion lens for BRC-300P
Sony	BRC-Z700	RSONBRCZ700	HD remote camera ● CVBS out ● color: white
Sony	BRBK-HSD1	RSONBRBKHSD1	SD/HD-SDI output board for BRC-Z700
Sony	VCL-HG0862K	SONVCLHG0862K	Wide angle conversion lens for BRC-Z700
Sony	BRC-Z330	RSONBRCZ330	HD remote camera ● CVBS out ● color: white
Sony	BRBK-HSD2	RSONBRBKHSD2	SD/HD-SDI output board for BRC-Z330
Panasonic	AW-HE50SE	RPANAWHE50SE	HD remote camera ● HD-SDI out ● color: silver
Panasonic	AW-HE60SE	RPANAWHE60SE	HD remote camera ● HD-SDI out ● color: silver
Panasonic	AW-HE40SE	RPANAWHE40SE	HD remote camera ● HD-SDI out ● 30x optical zoom ● color: black
Panasonic	AW-CA20T6	RPANAWCA20T6	Interface cable for AW-HE50/AW-HE60
Panasonic	AW-HE100	RPANAWHE100	HD remote camera ● CVBS out ● color: silver
Panasonic	AW-HHD100E	RPANAWHHD100E	SD/HD-SDI output board for AW-HE100
Panasonic	AW-HE120	RPANAWHE120	HD remote camera ● HD-SDI out ● color: black
Panasonic	AW-HE130	RPANAWHE130	HD remote camera ● 3G-SDI out ● color: black
Panasonic	AW-HEA10W	RPANAWHEA10W	PTZ under-camera control device ● iPad not included
Sony	BRC-H900	RSONBRCH900	HD remote camera ● HD-SDI out ● color: grey
Panasonic	AW-E860 STD	RPANAWE860STD	2/3" block camera ● SDI out ● incl. Fujinon standard lens
Panasonic	AW-E860 WA	RPANAWE860WA	2/3" block camera ● SDI out ● incl. Fujinon a13x6.3 BMD wide angle lens
Panasonic	AW-PH350	RPANAWPH350	Pan & tilt head for AW-E860
Panasonic	AW-PH360L	RPANAWPH360L	Pan & tilt head for AW-E860
Panasonic	AW-PH405	RPANAWPH405	Pan & tilt head for AW-E860 ● smooth, quit, fast

HOTHEAD CAMERA CONTROLLERS		code	specifications
Sony	RM-IP10	RSONRMIP10	Joystick camera controller ● for BRC-Z330, BRC-Z700, BRC-H900 ● LAN & Visca
Sony	RM-BR300	RSONRMBR300	Joystick camera controller ● for BRC-300, BRC-Z700, BRC-Z330, BRC-H900
Panasonic	AW-RP120GJ	RPANAWRP120GJ	Joystick camera controller ● LAN & RS422
Panasonic	AW-RP50E	RPANAWRP50E	Joystick camera controller ● LAN & RS422
Panasonic	AK-HRP200	RPANAKHRP200	Remote control panel (OCP panel) for AW-HE120 hothead
Panasonic	AW-RP655L	RPANAWRP655L	Joystick camera controller ● RS422
Panasonic	AW-RP400	RPANAWRP400	Joystick camera controller ● for AW-HE100 (only with AW-IF400), AW-E860
Panasonic	AW-CB400L	RPANAWCB400L	Shading control unit ● for AW-RP400
Panasonic	AW-IF400	RPANAWIF400	Protocol convertor ● for operating AW-HE100 with AW-RP400/AW-CB400
Cisco	Linksys SE2800	RCISLINKSYSSE2800	8 ports gigabit switch
Linksys	LGS116P	RLINLGS116P	16 ports gigabit switch ● PoE+ ● power supply for max. 3x AW-HE130 or 4x AW-HE40

HOTHEAD CAMERA MOUNTINGS		code	specifications
--------------------------	--	------	----------------

Remote camera rigging set • for BRC-300, BRC-Z700, BRC-Z330, BRC-H900, AW-HE40, AW-HE50, AW-HE60, AW-HE100, AW-HE120, AW-HE130

Manfrotto	244N	RMAN244N	Magic Arm • end-to-end 16mm spigots
Manfrotto	035	RMAN035	Super Clamp
Manfrotto	143BKT	RMAN143BKT	Camera Bracket

Remote camera tripod set • for BRC-300, BRC-Z700, BRC-Z330, BRC-H900, AW-HE40, AW-HE50, AW-HE60, AW-HE100, AW-HE120, AW-HE130

GFM	Baseplate	RGFMBASEPLATE	Baseplate for AL-series risers
GFM	Adjustable gas riser	RGFMAL2318	Adjustable gas riser • 50 – 115 cm
GFM	Riser	RGFMAL2330	Riser • 30 cm
GFM	Ball adapter	RGFMAL2150	Ball adapter • for 100mm head (e.g. Sachtler fluid head)
Sachtler	Fluid head	RSACFLUIDHEAD	Fluid head for camera mounting

LVL	T-Tube	RLVLTUBE	T-shaped scaffolding tube • for descending remote camera from truss grid • length: 120cm
Global Truss	8231-90-B	RGL0823190B	Swivel coupler • for scaffolding tube • needed to fix T-tube on truss grid (2 pcs.)
LVL	AW-E860-RIG	RLVLAWE860RIG	Truss rig system for AW-E860 camera + AW-PH350/360 motor
Sony	BRC-SDP12	RSONBRCSDP12	Outdoor dome housing for AW-HE40/AW-HE50/AW-HE60 • with 50 mm truss clamp
Sony	BRC-SDP16	RSONBRCSDP16	Outdoor dome housing for HE120/AW-HE130 • with 50 mm truss clamp

HD VTR'S		code	specifications
----------	--	------	----------------

Sony	HDW-M2000P	RSONHDWM2000P	HDcam VTR • Multi Format • FireWire option
Sony	HDW-D1800	RSONHDWD1800	HDcam VTR • FireWire option
Sony	J-H3	RSONJH3	HDcam player • HD-SDI out • FireWire option
Sony	PDW-HD1500	RSONPDWHD1500	XDcam HD VTR • FireWire option • SD option
Sony	PDW-HR1	RSONPDWHR1	XDcam HD VTR • FireWire option • SD option • large LCD screen
Sony	XDS-PD1000	RSONXDS-PD1000	XDcam HD / SxS VTR • with 1 TB HDD
Sony	PMW-RX50	RSONPMWRX50	XDcam EX VTR • excl. SxS cards • LCD screen
Sony	HVR-1500A	RSONHVR1500A	HDV VTR • FireWire option • plays and records also DVcam
Panasonic	AJ-HD1200AE	RPANAJHD1200AE	DVCpro HD VTR • FireWire option
Panasonic	AJ-HD1400EQ	RPANAJHD1400EQ	DVCpro HD VTR • FireWire option • compatible with progressive
Panasonic	AG-HPG10	RPANAGHPG10	P2 HD viewer/player • battery powered • batteries incl. • does not record!
Panasonic	AJ-HPD24EJ	RPANAHPD24EJ	P2 HD deck recorder • battery powered • batteries incl.
JVC	SR-HD2500BD	RJVCSRHD2500BD	BluRay/DVD recorder • HD-SDI in/out • does <u>NOT</u> play commercial discs

SD VTR'S		code	specifications
----------	--	------	----------------

Sony	DVW-M2000P	RSONDVWM2000P	Digital Betacam VTR • Multi Format
Sony	DVW-A500P	RSONDVWA500P	Digital Betacam VTR
Sony	J-30	RSONJ30	Digital Betacam player • Multi Format • BetacamSP / Betacam SX

Sony	DNW-A25	RSONDNWA25PSINGLE	Betacam SX laptop editing recorder
Sony	DNW-75P	RSONDNWA75P	Betacam SX studio recorder
Sony	BVW-75P	RSONBVW75P	Betacam SP studio recorder • with jog shuttle
Sony	UVW-1800	RSONUVW1800	Betacam SP studio recorder
Sony	DSR-1500AP	RSONDSR1500AP	DVcam VTR • SDI i/o • FireWire
Sony	DSR-80P	RSONDSR80P	DVcam VTR • SDI i/o
Panasonic	AJ-D955	RPANAJD955	DVCpro 50 VTR • SDI i/o • studio recorder
Panasonic	AJ-D95DCE	RPANAJD95	DVCpro 50 VTR • SDI i/o
Panasonic	AJ-D930	RPANAJD930	DVCpro 50 VTR • SDI i/o
Panasonic	AJ-D455	RPANAJD455	DVCpro 25 VTR • SDI i/o • FireWire
Panasonic	DV-2700	RPANDV2700	MiniDV / DV VTR • FireWire

DVD & BLURAY	code	specifications
--------------	------	----------------

Tascam	DV-D01U	RTASDV01U	Professional DVD player • HDMI out • YUV out
Pioneer	DVD-V7300D	RPIODVDV7300D	Professional DVD player • YUV out
Panasonic	DVD-S33	RPANDVDS33	DVD player • YUV out
Panasonic	DVD-S58	RPANDVDS58	DVD player • HDMI out • YUV out
Panasonic	LQ-DRM200E	RPANLQDRM200E	DVD recorder • YUV out
Sharp	BDAM10S	RSHABDAM10S	BluRay player • HDMI out • <u>ONLY</u> HDMI out
Sharp	BDHP22S	RSHABDHP22S	BluRay player • HDMI out • YUV out
Sharp	BDHP25S	RSHABDHP25S	3D BluRay player • HDMI out
JVC	SR-HD2500BD	RJVC SRHD2500BD	BluRay/DVD recorder • HD-SDI in/out • does <u>NOT</u> play commercial discs

HARD DISK VIDEO SYSTEMS	code	specifications
-------------------------	------	----------------

Grass Valley	Turbo iDDR	RGRATURBOIDDR	Intelligent disk drive recorder
Aja	KiPro	RAJAKIPRO	Apple ProRes recorder • 4:2:2 • excl. memory drive
Aja	KI-SSD256-R0	RAJAKISSD256R0	Hard disk memory drive • solid state • 256 GB
Aja	KI-STOR250-R0	RAJAKISTOR250R0	Hard disk memory drive • HDD • 250 GB
Aja	KiPro Mini	RAJAKIPROMINI	Apple ProRes recorder • 4:2:2 • excl. Compact Flash cards
Sound Devices	Pix 240i	RSOUIX240I	Apple ProRes / Avid DNXHD recorder • excl. memory drive
Sound Devices	Pix 240i set	RSOUIX240ISET	Apple ProRes / Avid DNXHD recorder • incl. 2x 256GB memory drive
Sound Devices	Pix 260i	RSOUIX260I	Apple ProRes / Avid DNXHD recorder • <u>only per 2 pcs (price is per 2)</u> • excl. memory drive
Sound Devices	Pix 260i set	RSOUIX260ISET	2x Apple ProRes / Avid DNXHD recorder • incl. 4x 256GB memory drive
Sound Devices	256 GB SSD	RSOU256GBSSD	Hard disk memory drive • solid state • 256 GB
Sound Devices	480 GB SSD	RSOU480GBSSD	Hard disk memory drive • solid state • 480 GB
Convergent Design	Apollo set	RCONAPOLLOSET	4-stream ProRes recorder • incl. 2x 1TB memory drive
Panasonic	AJ-HPD24EJ	RPANAJHPD24EJ	P2 HD deck recorder • battery powered • batteries incl.

MEMORY CARDS / DRIVES		code	specifications
OEM	SDHC/SDXC 32GB	ROEMSDHC32GB	SDHC/SDXC memory card ● 32 GB
OEM	SDHC/SDXC 64GB	ROEMSDHC32GB	SDHC/SDXC memory card ● 64 GB
Lexar	CFast 256GB	RLEXCFAST256GB	CFast 2.0 memory card ● 256 GB ● for Canon EOS C300 MKII / Arri cameras
OEM	Compact Flash 32GB	ROEMCOMPACTFLASH32GB	Compact Flash memory card ● 32 GB
OEM	Compact Flash 64GB	ROEMCOMPACTFLASH64GB	Compact Flash memory card ● 64 GB
OEM	Memory Stick 32GB	ROEMMEMORYSTICK32GB	Memory Stick memory card ● 32 GB
Sony	SBP-32	RSONSBP32	SxS PRO memory card ● 32 GB
Sony	SBP-64	RSONSBP64	SxS PRO memory card ● 64 GB
Sony	SBP-128B	RSONSBP128B	SxS PRO+ memory card ● 128 GB
Sony	SBAC-US10	RSONSBACUS10	SxS Memory card reader ● USB 2.0
Sony	SBAC-US30	RSONSBACUS30	SxS Memory card reader ● USB 3.0
Panasonic	AJ-P2E032XG	RPANAJP2E032XG	P2 memory card ● 32 GB
Panasonic	AJ-P2E064XG	RPANAJP2E064XG	P2 memory card ● 64 GB
Panasonic	AJ-PCD2G	RPANAJPCD2G	P2 memory card reader ● 1 slot ● USB 2.0
Panasonic	AJ-PCD30	RPANAJPCD30	P2 memory card reader ● 3 slot ● USB 3.0
Panasonic	AJ-PCD20	RPANAJPCD20	P2 memory card reader ● 5 slot ● USB 2.0
Panasonic	AJ-MPD1G	RPANAJMPD1G	microP2 card reader
Panasonic	AU-XP0256AG	RPANAUXP0256AG	Express P2 card for VariCam LT ● 256GB
Panasonic	AU-XP0512BG	RPANAUXP0512BG	Express P2 card for VariCam LT ● 512GB
Panasonic	AU-XP01	RPANAUXP01	Express P2 card reader
Sony	AXS-512S24	RSONAXS512S24	Memory card for AXS-R5 ● 512GB
Sony	AXS-A1TS24	RSONAXSTS24	Memory card for AXS-R5 ● 1TB
Sony	AXS-CR1	RSONAXSCR1	AXSM Memory card reader
Sony	QD-G64A	RSONQDG64A	XQD memory card for PXW-FS7 ● 64GB
Sony	QD-G128A	RSONQDG128A	XQD memory card for PXW-FS7 ● 128GB

CRT MONITORS		code	specifications
Sony	PVM9042GM	RSONPVM9042QM	9" preview monitor ● CVBS i/o
Sony	PVM9045	RSONPVM9045	9" preview monitor ● CVBS i/o ● in Porta Brace
Panasonic	BT-S1050Y	RPANBTS1050Y	9" preview monitor ● CVBS i/o
Barco	ADVM10	RBARADVM10	9" reference monitor ● CVBS i/o ● SDI i/o
Barco	ADVM14	RBARADVM14	14" reference monitor ● CVBS i/o ● SDI i/o

SD LCD MONITORS		code	specifications
Panasonic	TC-7WMS1	RPANTC7WMS1	7" LCD monitor ● CVBS in ● 12V powered ● PSU not included
Sony	LMD7220W	RSONLMD7220W	2x 7" LCD monitor ● 19" rackmount ● CVBS i/o
Teletest	OZR2701	RTELOZR2701	2x 7" LCD monitor ● 19" rackmount ● CVBS i/o

Teletest Sharp	OZR3451 LC-26D44E-BK	RTELOZR3451 RSHALC2644EBK	3x 5" LCD monitor • 19" rackmount • CVBS i/o 26" video/computer monitor • CVBS • VGA • HDMI • YUV
-----------------------	-------------------------	------------------------------	--

HD LCD MONITORS		code	specifications
TV Logic	VFM-056W	RTVL056W	5" LCD monitor • HD-SDI • CVBS • HDMI
TV Logic	LVM-071W	RTVLLVM071W	7" LCD monitor • HD-SDI • CVBS • DVI
Sony	PVM740	RSONPVM740	7" OLED monitor • HD-SDI • CVBS • HDMI
Sony	LMD-9050	RSONLMD9050	9" LCD monitor • HD-SDI • CVBS • YUV
Panasonic	BT-LH900	RPANBTLH900	9" LCD monitor • HD-SDI • CVBS
Panasonic	BT-LH910	RPANBTLH910	9" LCD monitor • HD-SDI • CVBS
Sony	PVM-A170	RSONPVMA170	17" OLED monitor • HD-SDI • CVBS • HDMI
JVC	DT-V17L3D	RJVCDTV17L3D	17" LCD monitor • HD-SDI • CVBS • YUV • DVI
JVC	DT-R17L4D	RJVCDR17L4D	17" LCD monitor • HD-SDI • CVBS • YUV • DVI
JVC	DT-V24L3D	RJVCDTV24L3D	24" LCD monitor • HD-SDI • CVBS • YUV • DVI
JVC	DT-R24L4D	RJVCDR24L4D	24" LCD monitor • HD-SDI • CVBS • DVI
Sony	PVM2541A	RSONPVM2541A	25" OLED monitor • HD-SDI • CVBS • HDMI

3D LCD MONITORS		code	specifications
Panasonic	BT-3DL2550	RPANBT3DL2550	25" 3D LCD monitor • 2x HD-SDI • CVBS • DVI • incl. 4x glasses

VIDEO MIXING CONSOLES		code	specifications
Panasonic	AV-HS6000	RPANAVHS6000	2 ME 3G production switcher • 32 inputs • 16 outputs • redundant PSU • 4x built-in multiviewer
Panasonic	AV-HS450	RPANAVHS450	1 ME HD-SDI production switcher • 16 inputs • 4 outputs • redundant PSU • 2x built-in multiviewer
Panasonic	AV-HS410	RPANAVHS410	1 ME HD-SDI production switcher • 8 inputs • 5 outputs • 1x built-in multiviewer
Panasonic	AG-HMX100	RPANAGHMX100	Digital AV mixer • 4x HD-SDI in • 2x CVBS in • 2x HDMI in • 1x DVI in • HD-SDI & DVI out • 3D
Roland	V-800HD	RROLV800HD	Multi-format video switcher • HDCP compliant (on/off switchable) • 1x built-in multiviewer (HDMI)
Roland	VR-50HD	RROLVR50HD	Multi-format AV mixer • HDCP compliant (on/off switchable) • 1x built-in multiviewer (HDMI)
Panasonic	AW-HS50E	RPANAWHS50	HD-SDI production switcher • 4 inputs • 1x built-in multiviewer
Panasonic	AG-MX70E	RPANAGMX70E	SDI production switcher • 4 CVBS inputs • 4 YUV inputs • 4 SDI inputs
Panasonic	AG-MX50E	RPANAGMX50	CVBS production switcher • 4 CVBS inputs
Edirol	V-4	REDIV4	CVBS switcher • 4 CVBS inputs
Sony	AWS-G500 AnyCast	RSONAWSG500	Live Content Producer • excl. input boards

VIDEO MIXING ACCESSORIES		code	specifications
Panasonic	AV-HS04M1	RPANAVHS04M1	Double HD/SD-SDI input board • for AV-HS450 / AV-HS410
Panasonic	AV-HS04M2	RPANAVHS04M2	Double HD/SD YUV input board • for AV-HS450 / AV-HS410
Panasonic	AV-HS04M3	RPANAVHS04M3	Double DVI input board • VGA compatible • for AV-HS450 / AV-HS410

Sony
Sony
Sony
Sony

BKAW-550
BKAW-570
BKAW-580
BKAW-590

RSONBKAW50
RSONBKAW570
RSONBKAW580
RSONBKAW590

Double VGA input board ● for AWS-G500 AnyCast
Double CVBS input board ● for AWS-G500 AnyCast
Double SD-SDI input board ● for AWS-G500 AnyCast
Double HD-SDI input board ● for AWS-G500 AnyCast

HD / UHD VIDEO PROJECTORS		code	specifications
Panasonic	PT-DZ21K	RPANPTDZ21K	20.000 ANSI lumen • 1.920*1.200 • 1x 3G-SDI + 1x HD-SDI input • excl. lens • in frame
Panasonic	PT-DZ110X	RPANPTDZ110X	10.600 ANSI lumen • 1.920*1.200 • HD-SDI input • excl. lens • in frame
Panasonic	PT-DW10000	RPANPTDW10000	10.000 ANSI lumen • 1.920*1.080 • HD-SDI input • excl. lens
Panasonic	PT-RQ13K	RPANPTRQ13K	10.000 ANSI lumen • 5.120*3.200 • Laser light source • 4x 3G-SDI input • excl. lens • in frame
Panasonic	PT-DZ780BEJ	RPANPTDZ780BEJ	7.000 ANSI lumen • 1.920*1.200 • 3G-SDI input • excl. lens
Panasonic	PT-RZ670	RPANPTRZ670	6.500 ANSI lumen • 1.920*1.200 • Laser light source • 3G-SDI input • excl. lens
Panasonic	PT-DZ6710E	RPANPTDZ6710E	6.000 ANSI lumen • 1.920*1.200 • HD-SDI input • excl. lens

SD VIDEO PROJECTORS		code	specifications
Sanyo	PLC-XF47	RSANPLCXF47	15.000 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Sanyo	PLC-XF46	RSANPLCXF46	12.000 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Sanyo	PLC-XF45	RSANPLCXF45	10.000 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Panasonic	PT-D10000E	RPANPTD10000E	10.000 ANSI lumen • 1.400*1.050 • 3-chip DLP • excl. lens • in frame
Panasonic	PT-DX810ESJ	RPANPTDX810ESJ	8.200 ANSI lumen • 1.024*768 • 1-chip DLP • HDMI input • excl. lens
Panasonic	PT-DX800ESJ	RPANPTDX800ESJ	8.000 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Panasonic	PT-D7700E	RPANPTD7700E	7.000 ANSI lumen • 1.400*1.050 • 3-chip DLP • excl. lens
Sanyo	PLC-XF60	RSANPLCXF60	6.500 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Sanyo	PLC-XF35	RSANPLCXF35	6.500 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Panasonic	PT-D6000E	RPANPTD6000	6.500 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Panasonic	PT-DW7000E	RPANPTDW7000E	6.000 ANSI lumen • 1.366*768 • 3-chip DLP • excl. lens
Panasonic	PT-D5700E	RPANPTD5700E	6.000 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Panasonic	PT-DW5100E	RPANPTDW5100W	5.500 ANSI lumen • 1.280*768 • 1-chip DLP • excl. lens
Sharp	XG-PH70X	RSHAXGPH70X	5.200 ANSI lumen • 1.024*768 • 1-chip DLP • incl. lens (not interchangeable)
Sanyo	PLC-XF20	RSANPLCXF20	5.000 ANSI lumen • 1.024*768 • 1-chip LCD • excl. lens
Panasonic	PT-D5500E	RPANPTD5500E	5.000 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Sanyo	PLC-XP55	RSANPLCXP55	4.500 ANSI lumen • 1.024*768 • 1-chip LCD • incl. lens (not interchangeable)
Sharp	XG-PH50X	RSHAXGPH50X	4.400 ANSI lumen • 1.024*768 • 1-chip DLP • incl. lens (not interchangeable)
Sanyo	PLC-XP46	RSANPLCXP46	4.100 ANSI lumen • 1.024*768 • 1-chip LCD • incl. lens (not interchangeable)
Sharp	XG-P25	RSHAXGP25	4.000 ANSI lumen • 1.024*768 • 1-chip LCD • incl. lens (not interchangeable)
Panasonic	PT-D4000E	RPANPTD4000E	4.000 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Panasonic	PT-RW430	RPANPTRW430	3.500 ANSI lumen • 1.280*800 • 1-chip DLP • incl. lens (not interchangeable) • LED/Laser
Panasonic	PT-D3500E	RPANPTD3500E	3.500 ANSI lumen • 1.024*768 • 1-chip DLP • excl. lens
Sanyo	PLC-XP41	RSANPLCXP41	3.300 ANSI lumen • 1.024*768 • 1-chip LCD • incl. lens (not interchangeable)
Sanyo	PLC-WU3001	RSANPLCWU3001	3.000 ANSI lumen • 1.280*800 • 1-chip LCD • HDMI input • incl. lens (not interchangeable)
Sharp	PG-F312X	RSHAPGF312X	3.000 ANSI lumen • 1.024*768 • 1-chip DLP • incl. lens (not interchangeable)

PROJECTOR LENSES		code	specifications
Panasonic	ET-D75LE5	RPANETD75LE5	0.8 fixed ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-D75LE6	RPANETD75LE6	1.0 – 1.2 ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-D75LE1	RPANETD75LE1	1.5 – 2.0 ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-D75LE2	RPANETD75LE2	2.0 – 3.0 ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-D75LE3	RPANETD75LE3	3.0 – 5.0 ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-D75LE4	RPANETD75LE4	5.0 – 8.0 ● for 3-chip Panasonic PT-D projector series
Panasonic	ET-DLE030	RPANETDLE030	0.39 fixed ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE050	RPANETDLE050	0.8 fixed ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE080	RPANETDLE080	0.8 – 1.0 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE100	RPANETDLE100	1.3 – 1.8 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE150	RPANETDLE150	1.3 – 2.0 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLEXXX	RPANSTANDARDLENS	1.8 – 2.4 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE200	RPANETDLE200	2.4 – 4.0 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE300	RPANETDLE300	3.7 – 5.7 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE400	RPANETDLE400	5.7 – 8.0 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE410	RPANETDLE410	4.5 – 8.2 ● for 1-chip Panasonic PT-D projector series
Panasonic	ET-DLE450	RPANETDLE450	5.4 – 8.6 ● for 1-chip Panasonic PT-D projector series
Sanyo	LNS-W03	RSANLNSW03	0.8 fixed ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-W01Z	RSANLNSW01Z	1.2 fixed ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-W06	RSANLNSW06	1.2 – 1.5 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-W02Z	RSANW02Z	1.4 – 1.8 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-S02Z	RSANLNSS02Z	2.0 – 2.6 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-S03	RSANLNSS03	2.6 – 3.5 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-M01Z	RSANLNSM01Z	3.5 – 4.5 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-T02	RSANLNST02	4.4 – 6.0 ● for 1-chip Sanyo PLC-XF projector series
Sanyo	LNS-T31	RSANLNST31	2.3 – 4.1 ● for 1-chip Sanyo PLC-XP projector series

PROJECTOR ACCESSORIES		code	specifications
Barco	BME Clamp	RBARBMECLAMP	Clamps for projector rigging frame (50/32 mm) ● set of 4 pcs. ● for PT-DZ110X / PT-DZ21K
LVL	Projector bracket L	RLVLPROJECTORBRACKETL	Projector truss mount bracket ● large ● 2 truss clamps
LVL	Projector bracket M/S	RLVLPROJECTORBRACKETS	Projector truss mount bracket ● small / medium ● 1 truss clamp
PROLYTE	Singletube 100	RPROSINGLETUBE100	Alu tube ● with male and female couplers ● length: 100 cm
PROLYTE	Singletube 200	RPROSINGLETUBE200	Alu tube ● with male and female couplers ● length: 200 cm
Doughty	T57100	RDOUT57100	Swivel coupler ● for alu tube ● needed to fix T-tube on truss grid (2 pcs.)
K&M	213	RKM213	Wind-upstand ● max. height: 210 cm
LVL	Projector plate L	RLVLPROJECTORPLATEL	Platform for projector ● large ● fits on K&M 213
LVL	Projector plate M/S	RLVLPROJECTORPLATES	Platform for projector ● medium / small ● fits on K&M 213
Karba	Karba Table	RKARTABLE	Projector table ● with second platform for notebook / DVD player

OEM	Remote cable M	RREMOECABLEMALE	XLR male to minijack adapter • for hard wiring IR remote control
OEM	Remote cable F	RREMOECABLEFEMALE	XLR female to minijack adapter • for hard wiring IR remote control
LVL	Projector tower 100	RLVLPJECTORTOWER100	Base/top: 100 x 100 cm • height: 200 cm
LVL	Projector tower 50	RLVLPJECTORTOWER50	Base/top: 50 x 100 cm • height: 200 cm

DIA PROJECTORS		code	specifications
----------------	--	------	----------------

Kodak	Caroussel	RKODCAROUSSEL	300W • timer • wireless remote control with laser pointer
Leica	P2000	RLEIP2000	250W • straight tray • quick change

OVERHEAD PROJECTORS		code	specifications
---------------------	--	------	----------------

Image	Image600	RIMAIMAGE600	250W • built-in spare lamp change system
Liesegang	OHP400	RLIEOHP400	400W • built-in spare lamp change system

4/3 FRONT PROJECTION SCREENS		code	specifications
------------------------------	--	------	----------------

Da-Lite	2,13 x 1,60 m	RDAL213160F	Incl. legs
Da-Lite	2,40 x 1,80 m	RDAL240180F	Incl. legs
Da-Lite	3,05 x 2,29 m	RDAL305229F	Incl. legs
Da-Lite	3,66 x 2,74 m	RDAL366274F	Incl. legs
Da-Lite	4,20 x 3,10 m	RDAL420310F	Incl. legs
Da-Lite	5,20 x 4,00 m	RDAL520400F	Legs available, <u>specify with your order</u>
Stumpfl	6,30 x 4,80 m	RSTU630480F	Legs available, <u>specify with your order</u>
Stumpfl	AT64	RSTUAT64BLACKLEGS	Optional powder coated black legs • for Stumpfl Fast-Fold screens

4/3 RETRO PROJECTION SCREENS		code	specifications
------------------------------	--	------	----------------

Da-Lite	2,13 x 1,60 m	RDAL213160R	Incl. legs
Da-Lite	2,40 x 1,80 m	RDAL240180R	Incl. legs
Da-Lite	3,05 x 2,29 m	RDAL305229R	Incl. legs
Da-Lite	3,66 x 2,74 m	RDAL366274R	Incl. legs
Da-Lite	4,20 x 3,10 m	RDAL420310R	Incl. legs
Da-Lite	5,20 x 4,00 m	RDAL520400R	Legs available, <u>specify with your order</u>

16/9 FRONT PROJECTION SCREENS		code	specifications
-------------------------------	--	------	----------------

Da-Lite	2,44 x 1,42 m	RDAL244142F	Incl. legs
Da-Lite	3,05 x 1,75 m	RDAL305175F	Incl. legs
Da-Lite	3,66 x 2,11 m	RDAL366211F	Incl. legs
Stumpfl	3,86 x 2,26 m	RSTU386226F	Incl. legs

Stumpfl	4,50 x 2,60 m	RSTU450260F	Incl. legs
Stumpfl	5,08 x 2,94 m	RSTU508294F	Incl. legs
Da-Lite	6,81 x 3,96 m	RDAL681396F	Legs available, <u>specify with your order</u>
Stumpfl	AT64	RSTUAT64BLACKLEGS	Optional powder coated black legs ● for Stumpfl Fast-Fold screens

16/9 RETRO PROJECTION SCREENS

	code	specifications
Da-Lite	2,44 x 1,42 m	RDAL244142R
Da-Lite	3,05 x 1,75 m	RDAL305175R
Da-Lite	3,66 x 2,11 m	RDAL366211R
Stumpfl	3,86 x 2,26 m	RSTU386226R
Stumpfl	4,50 x 2,60 m	RSTU450260R
Stumpfl	5,08 x 2,94 m	RSTU508294R
Stumpfl	AT64	RSTUAT64BLACKLEGS

TRIPOD PROJECTION SCREENS

	code	specifications
Da-Lite	1,51 x 1,38 m	RDAL151138F
Da-Lite	1,52 x 1,52 m	RDAL152152F
Da-Lite	1,80 x 1,80 m	RDAL180180F
Da-Lite	2,10 x 2,10 m	RDAL210210F
Da-Lite	2,40 x 2,40 m	RDAL240240F

PLASMA / LCD / LED DISPLAYS

	code	specifications
Sharp	LC-24LE250E	RSHALC24LE250E
Sharp	LC-32LE244E	RSHALC32LE244E
Panasonic	TH-42PH11EK	RPANTH42PH11EK
LG	43LX321C	RLG43LX321C
Panasonic	TH-47LF5E	RPANTH47LF5E
Sharp	LC50LE760E	RSHALC50LE760E
Panasonic	TH-50PH9EK	RPANTH50PH9EK
Panasonic	TH-50PF30E	RPANTH50PF30E
LG	60LX341C	RLG60341C
Sharp	LC80LE657E	RSHALC80LE657E
Sharp	AN3DG20B	RSHAAN3DG20B

24" video/computer monitor ● 1.366*768 ● VGA ● HDMI ● YUV
32" video/computer monitor ● 1.920*1.080 ● CVBS ● VGA ● HDMI ● YUV
42" plasma display ● 1.024*768 ● CVBS/VGA input
43" LED display ● 1.920*1.080 ● VGA/HDMI/USB input
47" LCD display ● 1.920*1.080 ● VGA/DVI/HDMI input
50" LED display ● 1.920*1.080 ● VGA/HDMI/USB input
50" plasma display ● 1.366*768 ● CVBS/VGA input
50" plasma display ● 1.920*1.080 ● CVBS/VGA/HDMI/DVI input
60" LED display ● 1.920*1.080 ● VGA/HDMI/USB input
80" LED display (3D) ● 1.920*1.080 ● CVBS/VGA/HDMI/USB input ● excl. 3D glasses
Active 3D glasses for Sharp LC70LE747E / LC80LE657E ● 10 pcs available

FLAT SCREEN MOUNTS**code****specifications**

Panasonic	TY-ST07-K	RPANTYST07K	Low desk-top stand ● for 42"/50" Panasonic display
Audipack	700 Series A	RAUD700SERIESA	High floor stand ● max. 180 cm ● for 42"/43"/47"/50"/60" display
Audipack	700 Series B	RAUD700SERIESB	High floor stand ● max. 180 cm ● for 70" display
OEM	Inclination stand	ROEMINCLINATION	Low inclined floor stand ● for return presenter screen ● only for Sharp LC-32LE244E
Vogel's	PFF2410	RVOGFFF2410	High floor stand ● max. 180 cm ● for 80" display
Vogel's	PFW910	RVOGPFW910	Wall mount ● for 80" display
Vogel's	PFW910 Truss	RVOGPFW910TRUSS	Truss mount ● for 80" display
Audipack	WM 390567	RAUDWM390567	Wall mount ● for 42"/43"/47"/50"/60" display
Audipack	WM 390585	RAUDWM390585	Inclinable wall mount ● for 42"/43"/47"/50"/60" display
Audipack	WM 390617	RAUD390617	Inclinable wall mount ● for 70" display
Audipack	TM 390694	RAUD390694	Truss mount ● for 50 mm tube ● 2x truss clamp
Audipack	390716	RAUD390716	Laptop/DVD support ● for 700 Series floor stand

VIDEO CABLING – NO DISCOUNT

		code	specifications
OEM	BNC cable 0,5 m	ROEMBNC0,5	Up to 3G-SDI
OEM	BNC cable 2,5 m	ROEMBNC2,5	Up to 3G-SDI
OEM	BNC cable 5 m	ROEMBNC5	Up to 3G-SDI
OEM	BNC cable 10 m	ROEMBNC10	Up to 3G-SDI
OEM	BNC cable 20 m	ROEMBNC20	Up to 3G-SDI
OEM	BNC cable 75 m	ROEMBNC75	Up to HD-SDI ● on reel
OEM	RGBHV cable 2,5 m	ROEMRGBHV2,5	Up to SDI
OEM	RGBHV cable 5 m	ROEMRGBHV5	Up to SDI
OEM	RGBHV cable 20 m	ROEMRGBHV20	Up to SDI
OEM	RGBHV cable 30 m	ROEMRGBHV30	Up to SDI ● on reel
OEM	RGBHV cable 50 m	ROEMRGBHV50	Up to SDI ● on reel
OEM	RGBHV cable 75 m	ROEMRGBHV75	Up to SDI ● on reel
OEM	RGBHV cable 100 m	ROEMRGBHV	Up to SDI ● on reel
OEM	TRIAx cable 5 m	ROEMTRIAx5	Up to HD ● Fischer
OEM	TRIAx cable 10 m	ROEMTRIAx10	Up to HD ● Fischer
OEM	TRIAx cable 20 m	ROEMTRIAx20	Up to HD ● Fischer
OEM	TRIAx cable 50 m	ROEMTRIAx50	Up to HD ● Fischer
OEM	TRIAx cable 100m	ROEMTRIAx100	Up to HD ● Fischer
OEM	TRIAx cable 150 m	ROEMTRIAx150	Up to HD ● Fischer
OEM	TRIAx BNC kit	ROEMTRIAxBNCKIT	Triax-f to BNC-f + Triax-m to BNC-f adapter kit ● passive
OEM	VGA cable 2 m	ROEMVGA2	15p SUB-D
OEM	VGA cable 5 m	ROEMVGA5	15p SUB-D
OEM	VGA cable 10 m	ROEMVGA10	15p SUB-D
OEM	VGA cable 15 m	ROEMVGA15	15p SUB-D
OEM	VGA cable 20 m	ROEMVGA20	15p SUB-D
OEM	VGA cable 30 m	ROEMVGA30	15p SUB-D
OEM	DVI cable 2,5 m	ROEMDVI2,5	Up to 1.920*1.200
OEM	DVI cable 5 m	ROEMDVI5	Up to 1.920*1.200
OEM	DVI cable 10 m	ROEMDVI10	Up to 1.920*1.200
OEM	DVI cable 20 m	ROEMDVI20	Up to 1.920*1.200 ● optical
OEM	DVI cable 50 m	ROEMDVI50	Up to 1.920*1.200 ● optical ● on reel
OEM	DVI cable 100 m	ROEMDVI100	Up to 1.920*1.200 ● optical ● on reel
OEM	HDMI cable 2,5 m	ROEMHDMI2,5	Up to 1.920*1.200
OEM	HDMI cable 5 m	ROEMHDMI5	Up to 1.920*1.200
OEM	HDMI cable 10 m	ROEMHDMI10	Up to 1.920*1.200
OEM	HDMI cable 15 m	ROEMHDMI15	Up to 1.920*1.200

OEM	HDMI cable 20 m	ROEMHDMI20	Up to 1.920*1.200
OEM	HDMI - DVI cable 2,5 m	ROEMHDMIDVI2,5	Up to 1.920*1.200
OEM	HDMI - DVI cable 5 m	ROEMHDMIDVI5	Up to 1.920*1.200
OEM	HDMI - Mini HDMI 2,5 m	ROEMHDMIMINI2,5	Up to 1.920*1.200
OEM	HDMI coupler	ROEMHDMICOUPLER	Up to 1.920*1.200
OEM	DVI – HDMI adapter	ROEMDVITOHDMIADAPTER	Up to 1.920*1.200
OEM	DVI – HDMI pigtail	ROEMDVITOHDMIPIGTAIL	Up to 1.920*1.200
OEM	BNC coupler	ROEMBNCcoup	BNC coupler
OEM	BNC – Cinch coupler	ROEMBNCINCHCOUP	BNC – Cinch coupler
OEM	BNC terminator	ROEMBNCterminator	BNC 75 Ohm terminator
OEM	VGA coupler	ROEMVGAfVGAf	VGA coupler
OEM	VGA – DVI coupler	ROEMVGAfDVI	VGA female – DVI male coupler
Gefen	DVI – DVI coupler	RGEFDVIDVICOUPLER	DVI female – DVI female coupler • PSU powered • active

AUDIO CABLING			
		code	specifications

OEM	XLR cable 1 m	ROEMXLR1	For balanced/AES audio
OEM	XLR cable 2,5 m	ROEMXLR2,5	For balanced/AES audio
OEM	XLR cable 5 m	ROEMXLR5	For balanced/AES audio
OEM	XLR cable 10 m	ROEMXLR10	For balanced/AES audio
OEM	XLR cable 20 m	ROEMXLR20	For balanced/AES audio
OEM	XLR cable 75 m	ROEMXLR75	For balanced audio • on reel
OEM	XLR cable 100 m	ROEMXLR100	For balanced audio • on reel
OEM	LK13 multi 20 m	ROEMLK13MULTI20	For balanced audio • 4 channels • LK 13 connector
OEM	LK13 multi 50 m	ROEMLK13MULTI50	For balanced audio • 4 channels • LK 13 connector • on reel
OEM	LK13 female Spider	ROEMLK13SPIDERFEM	For balanced audio • 4 channels • LK 13 female connector to 4 x unisex XLR
OEM	LK13 male Spider	ROEMLK13SPIDERMALE	For balanced audio • 4 channels • LK 13 male connector to 4 x unisex XLR
OEM	XLR multi 50 m	ROEMXLRMULTI50	For balanced/AES audio • 4 channels • on reel
OEM	XLR multi 150 m	ROEMXLRMULTI150	For balanced audio • 4 channels • on reel
OEM	XLR coupler M	ROEMXLRcouplERM	For balanced/AES audio
OEM	XLR coupler F	ROEMXLRcouplERF	For balanced/AES audio
OEM	XLR M to jack	ROEMXLRMJACK	For balanced/AES audio
OEM	XLR F to jack	ROEMXLRfJACK	For balanced/AES audio
OEM	XLR M to cinch	ROEMXLRMCINCH	For unbalanced audio
OEM	XLR F to cinch	ROEMXLRfCINCH	For unbalanced audio
OEM	Jack to cinch	ROEMJACKCINCH	For unbalanced audio

DATA CABLING			
		code	specifications

OEM	Ethercon cable 2,5 m	ROEMETHERCON2,5	Cat5 data cable
OEM	Ethercon cable 5 m	ROEMETHERCON5	Cat5 data cable

OEM	Ethercon cable 10 m	ROEMETHERCON10	Cat5 data cable
OEM	Ethercon cable 20 m	ROEMETHERCON20	Cat5 data cable
OEM	Ethercon cable 75 m	ROEMETHERCON75	Cat5 data cable ● on reel
OEM	Ethercon cable 100 m	ROEMETHERCON100	Cat5 data cable ● on reel
OEM	Ethercon + BNC 50 m	ROEMBNCUTP50	Cat5 data cable + HD-SDI cable ● taped together ● on reel
OEM	Hothead multi 50 m	ROEMHOTHHEADMULTI50	Cat6 data cable + 2x 3G-SDI cable ● custom round cable (18mm) ● on reel
OEM	Hothead multi 40 m	ROEMBNCUTP22040	Cat5 data cable + 2x 3G SDI cable ● 1x 220V cable ● custom round cable (18mm) ● on reel

POWER CABLING		code	specifications
---------------	--	------	----------------

OEM	Schuko 5 m	ROEMSCHUKO5	220V cable ● 16A
OEM	Schuko 10 m	ROEMSCHUKO10	220V cable ● 16A
OEM	Schuko 20 m	ROEMSCHUKO20	220V cable ● 16A
OEM	Schuko 40 m	ROEMSCHUKO40	220V cable ● 16A ● on reel
OEM	Domino 4 outlets	ROEMDOMINO4	220V distri ● 10A
OEM	Domino 8 outlets	ROEMDOMINO8	220V distri ● 10A
OEM	Powercon cable	ROEMPOWERCON	220V device cable ● 16A
BALS	CEE 32A 524007	RBAL524007	380V distri ● 32A in ● 6x 16A Schuko out
OEM	CEE 32A 10 m	ROEMCEE3210	380V cable ● 32A
OEM	CEE 32A 20 m	ROEMCEE3220	380V cable ● 32A

OPTICAL CABLING		code	specifications
-----------------	--	------	----------------

OEM	DVI cable 20 m	ROEMDVI20	Up to 1.920*1.200 ● optical
OEM	DVI cable 50 m	ROEMDVI50	Up to 1.920*1.200 ● optical ● on reel
OEM	DVI cable 100 m	ROEMDVI100	Up to 1.920*1.200 ● optical ● on reel
OEM	4 channel LC 200 m	ROEM4LC200	4x LC ● single mode ● on reel
Neutrik	Opticalcon Quad 400 m	RNEUNKO4SA5400	Opticalcon Quad ● single mode ● on reel
Neutrik	Quad to 2x Duo B/O	RNEUNO4SBB2DA	Opticalcon Quad to 2x Opticalcon Duo break-outbox
FieldCast	2 channel LC 200m	RFIEFIBER200M	2x LC ● single mode ● with robust adapter cables (FieldCast → Dual LC) ● on reel

SIGNAL PROCESSORS		code	specifications
-------------------	--	------	----------------

Sony	DSC-1024-G	RSONDSC1024G	VGA in ● CVBS in ● crossed out
Extron	USP-405 SDI	REXTUSP405	VGA in ● CVBS in ● YUV in ● RGBHV in ● SDI in ● crossed out
Folsom	ImagePRO SDI	RFOLIMAGEPROSDI	VGA in ● CVBS in ● YUV in ● RGHBV in ● SDI in ● crossed out
Folsom	ImagePRO HD	RFOLIMAGEPROHD	DVI in ● VGA in ● CVBS in ● YUV in ● RGBHV in ● HD-SDI in ● crossed out
Folsom	ImagePRO II	RFOLIMAGEPRO2	DVI in ● VGA in ● HDMI in ● DisplayPort in ● YUV in ● RGBHV in ● 3G-SDI in ● crossed out
Folsom	ImagePRO II DUAL	RFOLIMAGEPRO2DUAL	Same as ImagePRO II, but with dual 3G-SDI input and dual scaler output ● 3D functionality

PRESENTATION TOOLS		code	specifications
D'San	PerfectCue Mini	RDSAPERFECTCUEMINI	Wireless RF USB presenter • standard with 2 handheld transmitters • range: 100m
D'San	LimiTimer	RDSALIMITIMER	Automated timekeeper • PRO-2000 controller + PSL-20V small signal light
D'San	ASL4-ND3	RDSAASL4ND3	Large audio signal light • 17 x 56 cm
Barco	S3	RBARS3	4K screen management system • 4 layers • excl. laptop with Event Manager Tool Set
Barco	EC-50	RBAREC50	Controller for Barco S3
Folsom	PresentationPro II HD	RFOLPRESENTATIONPR	Presentation switcher • 8x VGA/YUV/CVBS in • 1x HD-SDI in • 1x VGA out • 1x DVI out
Barco	PDS-902	RBARPDS902	Presentation switcher • 4x VGA/YUV/CVBS in • 4x DVI in • 1x 3G-SDI in • DVI + VGA out (preview)
Lang	RPC-902	RLANRPC902	Desktop remote panel for Barco PDS-902
Vine	C2-5200	RVINC25200	Presentation switcher • VGA/CVBS in • VGA out
Kramer	VP-725DSA	RKRAVP725DSA	Presentation switcher • CVBS/YUV/RGBHV/VGA/DVI in • crossed out
Kramer	VP-61N	RKRAVP61N	VGA switcher • 6 inputs • 1 outputs
Equip	SW0202C	REQUSW0202C	VGA switcher • 2 inputs • 1 output
Extron	SW4	REXTSW4	3G-SDI switcher • 4 inputs • 2 outputs (cloned)
Aja	T-Tap	RAJATTAP	Thunderbolt to SDI / HDMI interface • incl. Thunderbolt-Thunderbolt cable

SPLITTERS		code	specifications
Dwight Cavend.	VP722-01	RDWIVP72201	CVBS splitter • 10 outputs
Extron	DA8V/4V	REXTDA8V4VDUAL	Dual EQ CVBS splitter • 1:8 or 2x 1:4 (switchable)
Extron	DA12V/6V	REXTDA12V6VDUAL	Dual EQ CVBS splitter • 1:12 or 2x 1:6 (switchable)
Extron	MDA 4SV EQ	REXTMDA4SVEQ	S-Video splitter • 4 outputs
Barco	3 way splitter	RBAR3WAYSPLITTER	YUV splitter • 3 outputs
Kramer	VM-1044	RKRAVM1044	YUV splitter • 4 outputs
Kramer	VM-1055	RKRAVM1055	RGBHV splitter • 5 outputs
Extron	P2/DA2 plus	REXTP2DA2PLUS	VGA splitter • 2 outputs
Kramer	VP-5XL	RKRAVP5XL	VGA splitter • 5 outputs
Kramer	VP-6XL	RKRAVP6XL	VGA splitter • 6 outputs
Extron	P/2DA6xi	REXTP2DA6XI	VGA splitter • 6 outputs
Extron	P/2DA8	REXTP2DA8	VGA splitter • 8 outputs
Analog Way	XM513 iXmate	RANAXM513	Multi standard splitter • VGA in, 3 out (2 groups) • HD-SDI in, 3 out (2 groups) • DVI-D in, 3 out
Extron	DVI DA4 Plus	REXTDVADA4PLUS	DVI-D splitter • 4 outputs
Aja	3GDA	RAJA3GDA	3G-SDI/HD-SDI/SDI splitter • 6 outputs
Extron	HDMI DA6	REXTHDMIDA6	HDMI splitter • 6 outputs
Extron	HDMI DA6 HD 4K	REXTHDMIDA6HD4K	4K / UHD HDMI splitter • 6 outputs
Aten	VS184	RATEVS184	HDMI splitter • 4 outputs

CONVERTORS / GLUE		code	specifications
Aja	FS4	RAJAFS4	Quad HD Audio/Video converter • 4K / UHD
Aja	FS2	RAJAFS2	Dual SD/HD Audio/Video converter • with fiber in/out option • compatible with Aja FiDO-2R / FiDO-2T
Aja	FS1	RAJAFS1	SD/HD Audio/Video converter
Aja	HD10CEA	RAJAH10CEA	HD/SD-SDI to YUV or CVBS converter
Aja	HD10AVA	RAJAH10AVA	YUV or CVBS to HD/SD-SDI converter
Aja	UDC	RAJAUDC	Up/down/cross converter
Aja	GEN10	RAJAGEN10	HD/SD sync generator
Aja	FiDO-2R	RFIDO2R	Dual optical fiber to SD/HD/3G-SDI (LC) • compatible with Aja FS2
Aja	FiDO-2T	RFIDO2T	SD/HD/3G-SDI to dual optical fiber (LC) • compatible with Aja FS2
Black Magic	HDMI to SDI	RBLAHDMITOSDI	HDMI to SD/HD-SDI converter
Black Magic	SDI to HDMI	RBLASDITOHDMI	SD/HD-SDI to HDMI converter
Roland	VC-1-SH	RROLVC1SH	SD/HD-SDI to HDMI converter • audio (de-)embedder
Axon	SFR04	RAXOSFR04	Digital routing frame • for 4 processing cards • single PSU
Axon	SFR18	RAXOSFR18	Digital routing frame • for 18 processing cards • redundant PSU
Axon	SAV08	RAXOSAV08	Processing card • SDI in • 4x SDI out • YUV out • CVBS out
Axon	BPL01	RAXOBPL01	In/output card • for use with SAV08
Axon	2HS10	RAXO2HS10	Dual processing card • HD-SDI in • SD-SDI out • CVBS out
Axon	BPH05	RAXOBPH05	In/output card • for use with 2HS10
Axon	HQW200	RAXOHQW200	Processing card • multiviewer • 4x HD-SDI in • 1x DVI out
Axon	BPH23	RAXOBPH23	In/output card • for use with HQW200

(MATRIX) SWITCHERS		code	specifications
Kramer	VS-88V	RKRAVS88V	CVBS • 8x8
Barco	MatrixPRO	RBARMATRIXPRO	HD-SDI matrix • 16x16
Aja	KUMO 1616	RAJAKUMO1616	3G-SDI matrix • 16x16 • without control panel
Aja	KUMO CP	RAJAKUMOCP	Control panel for KUMO 1616
Kramer	VS-81HDxl	RKRAVS81HDxl	3G-SDI • 8x1

TOOLS		code	specifications
Extron	VTG 300R	REXTVTG300R	Test generator • CVBS/S-Video/RGBHV/YUV test patterns
Kramer	6003-B	RKRA6003B	Black burst generator • EBU color bar generator
Kramer	VM-1	RKRAVM1	CVBS to RF converter
Canopus	ADVC-1000	RCANADVC1000	DV tool • converts SD-SDI into 1394 FireWire and vice versa
Canopus	ADVC-700	RCANADVC700	DV-tool • converts CVBS/S-Video/YUV + balanced audio into 1394 FireWire and vice versa
Gefen	VGA Extender	RGEFVGAEXTENDER	VGA extender over CAT5 • 2x VGA output • max. cable length: 75m • set of RX + TX, no cable!
Gefen	HDMI Extender	RGEFHDMIEXTENDER	HDMI extender over CAT5 • max. cable length: 75m • set of RX + TX, no cable!
Aja	HB-T-HDMI	RAJAHBTDMI	HDMI over CAT5 HDBaseT transmitter • max. cable length: 75m • TX only, no cable!

Aja	HB-R-HDMI	RAJAHBRHDMI	HDMI over CAT5 HDBaseT receiver • max. cable length: 75m • RX only, no cable!
Aja	FIDO-2R	RFIDO2R	Dual optical fiber to SD/HD/3G-SDI (LC) • compatible with Aja FS2
Aja	FIDO-2T	RFIDO2T	SD/HD/3G-SDI to dual optical fiber (LC) • compatible with Aja FS2

NOTEBOOKS		code	specifications
Lenovo	Thinkpad 4319	RLENTHINKPAD4319	15" notebook • VGA/DP output • Microsoft Office 2010 pre-installed
Lenovo	Thinkpad E550	RLENTHINKPADE550	15" notebook • VGA/HDMI output • Microsoft Office 2010 pre-installed
Lenovo	Thinkpad E650	RLENTHINKPADE650	15" notebook • VGA/HDMI output • Microsoft Office 2010 pre-installed

INTERCOM		code	specifications
ASL	BS216	RASLBS216	Dual channel master station • basic series
ASL	PS279	RASLPS279	Dual channel master station • pro series
ASL	PS260	RASLPS260	Dual channel audio interface • for 4-wire / 2-wire conversion
ASL	PS230	RASLPS230	Dual channel speaker station • pro series
ASL	BS15	RASLBS15	Beltpack • basic series
ASL	PS19	RASLPS19	Beltpack • pro series
ASL	PS19M	RASLPS19M	Beltpack • pro series • metal casing
ASL	IS-026	RASLIS026	Split box
ASL	HS-1/D	RASLHS1D	Single sided intercom headset
ASL	HS-2/D	RASLHS2D	Double sided intercom headset
ASL	HR-2/E	RASLHR2E	Double sided intercom headset
ASL	TRANSFORMER	RASLTRANSFORMER	Dual channel transformer box • "Audio trafo"
Riedel	TNG-200	RRIETNG200	Tango intercom mainframe • 8x 4-wire + 2x AES67/AVB + 2x DPL • incl. Pulse config laptop
Riedel	RSP-2318	RRIERSP2318	Smartpanel intercom mainframe • AES67/AVB
Riedel	CD2	RRIECD2	DPL dual channel desktop panel with gooseneck mic
Riedel	C3	RRIEC3	DPL dual channel intercom beltpack
Riedel	C31	RRIEC31	DPL splitter 1:3
Riedel	CL31	RRIECL31	Call indicator / DPL splitter 1:3
Altair	WBS-200+4xWBP-200	RALTWBS200	Wireless intercom system • WBS-200 base station • 4x WBP-200 beltpack • 4x single headset
Telex	BTR-800	RTELBTR800	Wireless intercom base station
Telex	TR-800	RTELTR800	Wireless intercom beltpack
Telex	BP-700NM	RTELBP700NM	Nickel metal hydride battery • for TR-800
Telex	AT4000	RTELAT4000	Battery charger • for wireless intercom
Metro Audio	MA CCU4	RMETINTERCOM	Base station • 4 headsets • XLR4P cabling
Kenwood	TK-3301	RKENTK3301	Wireless transceiver incl. charger
Kenwood	TK-3301 SET	RKENTK3301KIT	Set of 6x TK3301 + 6x charger • in flightcase
Kenwood	KHS-8BL	RKENKHS8BL	Palm mic kit • spiral in-ear

CABLE PROTECTION		code	specifications
Pasecable	Cable Cross	RPASCABLECROSS	100 cm element • color: safety black/yellow • Dolly available per 10 pcs.
Adamhall	Defender Mini	RADADEFENDERMINI	100 cm element • black color • indoor/outdoor
LVL	Cable carpet 2,5 m	RLVLCABLECARPET25	Rubber cable carpet
LVL	Cable carpet 5 m	RLVLCABLECARPET5	Rubber cable carpet

STAGING	code	specifications	price
LVL Stage	Stage 100 x 200 cm	RSTAGE200100	Stage platform • 100 x 200 cm • excl. legs
LVL Stage	Stage 100 x 100 cm	RSTAGE100100	Stage platform • 100 x 100 cm • excl. legs
LVL Stage	Stage 50 x 100 cm	RSTAGE50100	Stage platform • 50 x 100 cm • excl. legs
LVL Stage	Stage leg 20 cm	RSTAGELEG20	Stage leg • 20 cm
LVL Stage	Stage leg 40 cm	RSTAGELEG40	Stage leg • 40 cm
LVL Stage	Stage leg 60 cm	RSTAGELEG60	Stage leg • 60 cm
LVL Stage	Stage leg 80 cm	RSTAGELEG80	Stage leg • 80 cm
LVL Stage	Stage leg 100 cm	RSTAGELEG100	Stage leg • 100 cm

LIGHTING SETS		code	specifications
Arri	Arri 150W	RARR150W	2x 150W fixture • 2x tripod
Arri	Arri 300W	RARR300W	3x 300W fixture • 3x tripod
Arri	Arri 600W	RARR600W	3x 600W fixture • 3x tripod
Arri	Arri 800W	RARR800W	3x 800W fixture • 3x tripod
Sachtler	Reporter 300	RSACREPORTER300	2x 300W fixture • 2x tripod
Dedolight	Dedo kit	RDEDOLIGHTKIT	4x 150W fixture • 4x dimmer • 4x tripod
Lowel	Tota/Omni	RLOWELKIT	2x 500W fixture • 1x 1kW fixture • 3x tripod
KinoFlo	Diva Lite 400	RKINDIVALITE400	Fluorescent fourbank • 1x tripod
Dedolight	Felloni TP-LONI-BI50	RDEDTPLONIBI50	Bicolor LED fixture • 1x tripod
Rosco	3-Head LitePad Vector	RROS3HEADLITEPAD	3x CCT LED fixture • 3x tripod
Rosco	Silk 210	ROSSILK210	LED fixture • 1x tripod
Dynacore	ELD 1X1	RDYNELD1X1	Single color 5600°LED fixture • 1x tripod
Quartzcolor	Blonde	RQUABLONDE	1x 2kW fixture • 1x tripod

LIGHTING ACCESSORIES		code	specifications
Manfrotto	Small-S	RMANSMALLS	Small lighting stand
Manfrotto	Medium-S	RMANMEDIUMS	Medium lighting stand
Manfrotto	Tall-S	RMANTALLS	Tall lighting stand
Manfrotto	087	RMAN087	Super tall wind-upstand
Manfrotto	083NW	RMAN083NW	Tall wind-upstand
Manfrotto	077	RMAN077	Autopole • 100 → 170 cm
Manfrotto	C1525	RMAN1525	Gaffer grip • with 16 mm spigot
Manfrotto	244N	RMAN244N	Magic Arm • end-to-end 16mm spigots
Manfrotto	035	RMAN035	Super Clamp
Manfrotto	026	RMAN026	Tilting adapter • with end to end inner 16 mm spigot inserts
Lastolite	LR4831	RLASLR4831	120 cm reflector • silver/white
Lastolite	LR1241	RLASLR1241	30 cm reflector • gold/white
Lastolite	LLLC5987	RLASLLLC5987	Collapsible chromakey surface • green/blue • 180x210cm • incl. tripods

AMPLIFIERS code specifications

QSC	GX5	RQSCGX5	2x 500W • Speakon output
QSC	RMX1450 RACK	RQSCRMX1450RACK	3x QSC RMX1450 • 1x DBX 223XL crossover • to drive max. 4x DB SW15 sub + 4x DB Arena8 top

POWERED MIXING CONSOLES code specifications

Yamaha	EMX5016CF	RYAMEMX5016CF	2x 500W • Speakon output • 16 mono's • feedback eliminator
Soundcraft	Powerstation 600	RSOUPOWERSTATION600	2x 300W • Speakon output • 8 mono's • 2 stereo's • Lexicon FX
Solton	PM101	RSOLPM101	2x 180W • Speakon output • 8 mono's

MIXING CONSOLES code specifications

Soundcraft	SI Compact 16	RSOUCOMPACTS16	16 mono's • digital • 1x AES/EBU in/out
Soundcraft	Mini Stage Box 16	RSOUMINISTAGEBOX16	CAT5 MAD1 stagebox for SI Compact 16 • 16 in / 8 out
Soundcraft	EFX8	RSOUEFX8	8 mono's • 2 stereo's • 2 aux buses • Lexicon FX
Allen & Heath	ZED60-10FX	RAIIZED6010FX	4 mono's • 2 stereo's • selectable MIC/LINE output level

PASSIVE SPEAKER CABINETS code specifications

DB Technol.	Arena 8	RDBTARENA8	200W • speech use
DB Technol.	Arena SW15	RDBTARENASW15	500W • sublow speaker cabinet • QSC RMX1450 rack required
Electro Voice	ZLX-12	RELEZL12	250 W • speech & music use
K&M	214/6	RKM2146	Stand for speaker cabinet
K&M	24105	RKM24105	Speaker mounting fork for 214/6 • fits 2x Arena 8

ACTIVE SPEAKER CABINETS code specifications

DB Technologies	DVX D15	RDBTDVXD15	700W • XLR in
Yamaha	MS60S	RYAMMS60S	60W • jack in • XLR in
Yamaha	MS150S	RYAMMS150S	150W • jack in • XLR in
Fostex	SP32A	RFOSSP32A	200W • jack in • XLR in
Fostex	6301B	RFOS6301B	10W • near field monitor • jack in • XLR in
JBL	Eon10 G2	RJBLEON10G2	175W • jack in • XLR in • XLR out
Klein&Hummel	PAS100	RKLEPAS100	80W • jack in • XLR in • cinch in
K&M	214/6	RKM2146	Stand for speaker cabinet

HANDHELD MICROPHONES		code	specifications
Sennheiser	MD421	RSENM421	Interview microphone
Sennheiser	E815S	RSENE815S	Dynamic microphone
Shure	SM58	RSHUSM58	Dynamic microphone
MINIATURE MICROPHONES		code	specifications
Sennheiser	Clip-on mic	RSENCIPONMIC	Standard clip-on microphone • for Evolution wireless • minijack connector
Sennheiser	MKE40 EW	RSENMKE40EW	Cardio clip-on microphone • for Evolution wireless • minijack connector
Sennheiser	MKE2P XLR	RSENMKE2PXLR	Omni clip-on microphone • XLR connector
DPA	d:fine 66	RDPADFINE66	Omni headset mic • Microdot connector
DPA	DAD6034	RDPADAD3034	Microdot → minijack adapter
DPA	DAD6003	RDPADAD6003	Microdot → Lemo adapter
DPA	DAD4099	RDPADAD4099	Microdot → XLR adapter
ENG SOUND EQUIPMENT		code	specifications
Sennheiser	MKH416	RSENMKH416	Incl. VDB boom • incl. Rycote windshield
Sennheiser	MKH60	RSENMKH60	Incl. VDB boom • incl. Rycote windshield
Røde	NTG3	RRODNTG3	Incl. VDB boom • incl. Rycote windshield
Sennheiser	K6 + ME62	RSENK6ME62	Phantom powering module • incl. omni microphone
Sennheiser	K6 + ME64	RSENK6ME64	Phantom powering module • incl. cardio microphone
SQN	5S	RSQN5S	5 channel audio mixette • AA batteries powered • incl. multi cable
WIRELESS MICROPHONES		code	specifications
Sennheiser	AVX SET	RSENAVXSET	Receiver + handheld mic + beltpack transmitter + MKE2 clip-on mic • auto frequency selection
Sennheiser	EK100 G3	RSENEK100G3	Portable diversity receiver
Sennheiser	EM100 G3	RSENEM100G3	Stationary diversity receiver
Sennheiser	EM550	RSENEM550	Double stationary diversity receiver
Sennheiser	EM550 G2	RSENEM550G2	Double stationary diversity receiver
Sennheiser	EM3732-II	RSENEM3732II	Double stationary diversity receiver • 184 MHz bandwidth
Sennheiser	SK100 G3	RSENSK100G3	Bodypack transmitter • minijack connector
Sennheiser	SK500 G3	RSENSK500G3	Bodypack transmitter • minijack connector
Sennheiser	SK5212-II	RSENSK5212II	Bodypack transmitter • Lemo connector • 184 MHz bandwidth
Sennheiser	SKM100 G2	RSENSKM100G2	Handheld transmitter
Sennheiser	SKM100 G3	RSENSKM100G3	Handheld transmitter
Sennheiser	SKM5200-II	RSENSKM5200II	Handheld transmitter • incl. Neumann KK105S capsule • 184 MHz bandwidth
Sennheiser	A1031-U	RSENA1031U	2x passive unidirectional antenna flag • incl. 2x 50 Ohm BNC cable 5m
Sennheiser	A2003-UHF	RSENA2003UHF	2x passive directional antenna flag • incl. 2x 50 Ohm BNC cable 10m

MICROPHONE STANDS		code	specifications
K&M	210/9	RKM2109	Microphone stand with adjustable boom • black
K&M	234	RKM234	Table microphone stand • with telescopic boom 400-640 mm • black
K&M	232	RKM232	Table microphone stand • 175 mm • black or silver
Manfrotto	622B	RMAN622B	Microphone stand • with rubber base • black

WIRELESS IN EAR MONITORING		code	specifications
Shure	PSM700 P7T	RSHUPSM700P7T	In-ear stereo transmitter
Shure	PSM700 P7R	RSHUPSM700P7R	In-ear stereo receiver • excl. earplugs • mini jack connection
Shure	Dual in ear kit	RSHUDUALINEARKIT	Set of 2x PSM700 P7R + 2x PSM700 P7T + 2x Telex spiral in-ear
Telex	Spiral in ear	RTELSPIRALINEAR	Spiral in ear for broadcast IFB • mono

SERVICE & SUPPORT

January 2017

CREW PER DAY

	code	specifications
Video technician	RVIDTECHNICIANDAY	Max. 10 working hours • overtime: € 50,00 / hour
Audio technician	RAUDTECHNICIANDAY	Max. 10 working hours • overtime: € 50,00 / hour
Video assistant	RAUDASSISTANTDAY	Max. 10 working hours • overtime: € 30,00 / hour
Audio assistant	RAUDASSISTANTDAY	Max. 10 working hours • overtime: € 30,00 / hour
Camera man	RCAMERAMANDAY	Max. 10 working hours • overtime: € 50,00 / hour
Warehouse pre-production	RWAREHOUSEPREP	As mentioned in the price offer

CREW PER HOUR

	code	specifications
Video technician	RVIDTECHNICIANHOUR	Max. 10 working hours • overtime: € 50,00 / hour
Audio technician	RAUDTECHNICIANHOUR	Max. 10 working hours • overtime: € 50,00 / hour
Video assistant	RVIDEOASSISTANTHOUR	Max. 10 working hours • overtime: € 30,00 / hour
Audio assistant	RAUDIOASSISTANTHOUR	Max. 10 working hours • overtime: € 30,00 / hour
Camera man	RCAMERAMANHOUR	Max. 10 working hours • overtime: € 50,00 / hour

CREW PER TRAVEL DAY

	code	specifications
Video technician	RVIDTECHNICIANTRAVE	Departures from Lummen (B)
Audio technician	RAUDTECHNICIANTRAVE	Departures from Lummen (B)
Video assistant	RVIDASSISTANTTRAVE	Departures from Lummen (B)
Audio assistant	RAUDASSISTANTTRAVE	Departures from Lummen (B)
Camera man	RCAMERAMANTRAVE	Departures from Lummen (B)

TRANSPORT

	code	specifications
Car	RPERSONNALCAR	Departures from Lummen (B)
Toyota HiAce (6 m ³)	RTOYOTAHIACE	Departures from Lummen (B)
Mercedes-Benz Sprinter (16 m ³)	RMERCEDESSENZSPRINTE	Departures from Lummen (B)

CONSUMABLES

	code	specifications
Nichiban Gaffa tape black	SNICGAFFAZWART50M	Width: 50 mm • length: 50 m
Nichiban Gaffa tape white	SNICGAFFAWIT50M	Width: 50 mm • length: 50 m
Fuji AA batteries	SFUJLR6PERBLISTER	Per 4 pieces
Fuji 9V battery	SFUJ6LR6PERSTUK	Per piece

STAFFLES

January 2017

All given prices are day prices per piece, excl. VAT (21 %) and discount. Cabling is always included, except for multi or fibre cabling and long runs. Please specify your cabling needs with your order.

1 day	day rate x 1,00
2 days	day rate x 1,50
3 days	day rate x 2,00
4 days	day rate x 2,80
5 days	day rate x 3,10
6 days	day rate x 3,40
1 week	day rate x 3,75
8 days	day rate x 4,00

9 days	day rate x 4,40
10 days	day rate x 4,70
11 days	day rate x 5,00
12 days	day rate x 5,30
13 days	day rate x 5,60
2 weeks	day rate x 6,50
3 weeks	day rate x 8,10
1 month	day rate x 10,0

For exceptionally long rental periods, please contact us.

CONTACT

January 2017

Ludo Verboven
Wim Verboven
Stijn Vanstiphout

☎ +32 495 52 70 04
☎ +32 474 41 69 12
☎ +32 496 92 96 91

✉ Info@lvimultimedia.be
✉ Wim@lvimultimedia.be
✉ Stijn@lvimultimedia.be